

**Notes:**

- Maximum Electric Current: 

|     |    |    |    |    |
|-----|----|----|----|----|
| AWG | 22 | 20 | 18 | 16 |
| AMP | 9  | 12 | 17 | 18 |
- Maximum Electric Rating: 105°C 600 Volts Max
- Insulation Material: Nylon
- Insulation Color: Red
- Terminal Material: Copper
- Wire Range: 22-16 AWG (0.5-1.5mm<sup>2</sup>)
- Double Crimp
- Terminal Surface Treatment: Tin Plated
- Terminal Thickness: 0.75mm

**Standard (Metric)**

- 0.94" (24mm)
- 0.43" (11mm)
- 0.51" (13mm)
- 0.12" (3mm)
- 0.07" (1.7mm)
- 0.18" (4.5mm)

**Tolerances**

(Unless Otherwise Specified)

|                 |                                              |              |      |
|-----------------|----------------------------------------------|--------------|------|
| <b>CATEGORY</b> | Nylon Insulated Double Crimp Blade Terminals | <b>SCALE</b> | 4/1  |
| <b>PART #</b>   | DBNYD1-13                                    | <b>SHEET</b> | 1-2  |
| <b>MATERIAL</b> | Tin-Plated Copper                            | <b>PAGE</b>  | 10F2 |

